




SCAN OF THE STAINED BLOTTING MEMBRANE FROM EXAMPLE 1



LANE  
FINAL DILUTION

1 2 3 4 5 6 7 8  
1 : 10 20 40 80 160 320 640 1280


**FIG. 1**

2/9

Final dilution 1:10

1 Standard human plasma


Bands (%)	
1-5	40
6-10	30
11...	30



Final dilution 1:20

2 Standard human plasma


Bands (%)	
1-5	38
6-10	33
11...	29



Final dilution 1:40

3 Standard human plasma


Bands (%)	
1-5	36
6-10	31
11...	33



Final dilution 1:80

4 Standard human plasma


Bands (%)	
1-5	38
6-10	32
11...	30



Final dilution 1:160

5 Standard human plasma


Bands (%)	
1-5	41
6-10	35
11...	24




Final dilution 1:320

6 Standard human plasma

Bands (%)	
1-5	40
6-10	33
11...	27

**FIG. 2**

SCAN OF THE STAINED BLOTTING MEMBRANE FROM EXAMPLE 2




LANE	1	2	3	4	5	6	7	8	
FINAL DILUTION (l/ml)		1: 0.2	2: 0.1	3: 0.05	4: 0.025	5: 0.0125	6: 0.006	7: 0.003	8: 0.0015

**FIG. 3**


# Replacement Sheet

4/9


Final dilution 0.2 IU/ml		
1	Heamate HS	
	Bands (%)	
	1-5	47
	6-10	35
	11...	18




Final dilution 0.1 IU/ml		
2	Heamate HS	
	Bands (%)	
	1-5	44
	6-10	37
	11...	18




Final dilution 0.05 IU/ml		
3	Heamate HS	
	Bands (%)	
	1-5	42
	6-10	39
	11...	19




Final dilution 0.025 IU/ml		
4	Heamate HS	
	Bands (%)	
	1-5	41
	6-10	43
	11...	16



Final dilution 0.0125 IU/ml		
5	Heamate HS	
	Bands (%)	
	1-5	47
	6-10	38
	11...	16




Final dilution 0.006 IU/ml		
6	Heamate HS	
	Bands (%)	
	1-5	81
	6-10	3
	11...	16



**FIG. 4**

SCAN OF THE COOMASSIE BLUE - STAINED GEL FROM EXAMPLE 3



5 HUMATE-P (150  $\mu$ l SAMPLE + 50  $\mu$ l BUFFER)  
6 HUMATE-P (200  $\mu$ l SAMPLE + 50  $\mu$ l BUFFER)  
7 HAEMATE-HS (150  $\mu$ l SAMPLE + 50  $\mu$ l BUFFER)  
8 HAEMATE-HS (150  $\mu$ l SAMPLE + 50  $\mu$ l BUFFER)


**FIG. 5**

# Replacement Sheet

6/9


Lane 5

Humate-P	
Bands	(%)
1-5	23
6-10	40
11...	38




Lane 6

Humate-P	
Bands	(%)
1-5	25
6-10	40
11...	36




Lane 7

Haemate-HS	
Bands	(%)
1-5	19
6-10	40
11...	41
(Evaluation without artefact)	




Lane 8

Haemate-HS	
Bands	(%)
1-5	20
6-10	38
11...	43



**FIG. 6**

SCAN OF THE COOMASSIE BLUE - STAINED GEL FROM EXAMPLE 4



**FIG. 7**

# Replacement Sheet

8/9

SCAN OF THE IMMUNOSTAINED BLOTTING MEMBRANE  
FROM EXAMPLE 5

LANES 1 AND 8: FIBRINOGEN REFERENCE SAMPLE  
LANES 2-7: VARIOUS FIBRINOGEN BATCHES




8 7 6 5 4 3 2 1

***FIG. 8***




# Replacement Sheet


9/9




1  
Standard Human Plasma



2  
Humate-P



3  
Humate-P



4  
Humate-P

**FIG. 9**